



Example of feedback report for the groups 3, 5 and 7




Feedback report for group 7:
Indications given by each clinic for diagnostic and control purposes



1. Lifestyle: patients with clinical symptoms of Vitamin D deficiency or suspected severe Vitamin D deficiency due to their lifestyle (poor sun exposure, staying indoors, covering clothes)
2. Pregnancy in a patient with dark skin
3. Osteoporosis
4. Neuromuscular diseases (patients with an increased risk of falls and fractures)
5. Hypo- or hypercalcemia
6. Hyperparathyroidism
7. Gastrointestinal disease with malabsorption
8. Renal insufficiency
9. Severe chronic liver disease
10. Medications: Pharmaceuticals leading to fat malabsorption (e.g. orlistat and colestyramin); Liver-inducing anticonvulsants (e.g. carbamazepine, phenytoin, and phenobarbital); Photosensitizing drugs/medicines (e.g. amiodarone)
11. Other.

Feedback report group 7:
Fractile of indications given for diagnostic purpose




Indications for diagnostic

■ Results of your clinic

■ Fractile 0,25- 0,50- 0,75- 1,00 of the other clinics in group 7 pr purpose

1. Lifestyle: patients with clinical symptoms of Vitamin D deficiency or suspected severe Vitamin D deficiency due to their lifestyle (poor sun exposure, staying indoors, covering clothes)
2. Pregnancy in a patient with dark skin
3. Osteoporosis
4. Neuromuscular diseases (patients with an increased risk of falls and fractures)
5. Hypo- or hypercalcemia
6. Hyperparathyroidism
7. Gastrointestinal disease with malabsorption
8. Renal insufficiency
9. Severe chronic liver disease
10. Medications: Pharmaceuticals leading to fat malabsorption (e.g. orlistat and colestyramin); Liver-inducing anticonvulsants (e.g. carbamazepine, phenytoin, and phenobarbital); Photosensitizing drugs/medicines (e.g. amiodarone)
11. Other.

Feedback report group 7:
Fractile of indications given for control purpose



Indications for control



Results of your clinic



Fractile 0,25- 0,50- 0,75- 1,00 of the other clinics in group 7 pr purpose

1. Lifestyle: patients with clinical symptoms of Vitamin D deficiency or suspected severe Vitamin D deficiency due to their lifestyle (poor sun exposure, staying indoors, covering clothes)
2. Pregnancy in a patient with dark skin
3. Osteoporosis
4. Neuromuscular diseases (patients with an increased risk of falls and fractures)
5. Hypo- or hypercalcemia
6. Hyperparathyroidism
7. Gastrointestinal disease with malabsorption
8. Renal insufficiency
9. Severe chronic liver disease
10. Medications: Pharmaceuticals leading to fat malabsorption (e.g. orlistat and colestyramin); Liver-inducing anticonvulsants (e.g. carbamazepine, phenytoin, and phenobarbital); Photosensitizing drugs/medicines (e.g. amiodarone)
11. Other.

Example of feedback reports.